IEEE *Xplore* ®
RELEASE 2.2

Home | Login | Logout | Access Information | Ale

☐☐Search Session History　　　　　　　BROWSE　　　SEARCH　　　IEEE XPLORE GUIDE

Fri, 16 Feb 2007, 12:03:06 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 (((encode document) and (decode document) and validation and text and attribute and query)<in>metadata)

#2 ((encode and extract and element and attribute and text and value and structure) <in>metadata)

#3 ((element and atrribute and (extract or extracting or extracts or remove) and register and (encode and decode))<in>metadata)

#4 ((encode and decode)<in>metadata)

#5 ((encode and decode<in>metadata) <and> (validation<in>metadata))<and> (extract or remove<in>metadata)

#6 ((encode and decompose and element and attribute and text and value<in>metadata) <and> (validation<in>metadata))<and> (register<in>metadata)

#7 ((query and validation<in>metadata) <and> ((defition file) or dtd<in>metadata))<and> (encode and decode<in>metadata)

#8 ((validate and structure<in>metadata) <and> ((id or identification) and encode and decode<in>metadata))<and> (attribute and value and element <in>metadata)

#9 ((encoded document<in>metadata) <and> (structure and id<in>metadata)) <and> (text and decoded document<in>metadata)

#10 ((partial structure<in>metadata) <and> (text content<in>metadata))<and> (element and attribute<in>metadata)

Help　　Contact Us　　Privac

Indexed by
🔟 Inspec®

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L42	142	710/55.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:29
L41	654	709/247.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:29
L40	1330	715/500.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:29
L39	1	(element same attribute same text same value same structure) and (incorporat$4 attach$4) with valid$6 with (encod$4 compress$4) with (xml document sgml data file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:26
S69	171	(structure dtd) with without with (duplicat$4 repeat$4 repet$5) with (element attribute value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:27
S47	308	(element same attribute same text same value same structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:27
L38	177	(structure dtd) with without with (duplicat$4 repeat$4 repet$5) with (element attribute value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:27
L37	45	(decod$4 encod$4) with (document file data) with reproduc$4 with representation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:27
L34	45	(decod$4 encod$4) with (document file data) with reproduc$4 with representation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:27
S52	14	validat$4 same compliance same predetermined same (type dtd)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26
S46	40	(incorporat$4 attach$4) with valid$6 with (encod$4 compress$4) with (xml document sgml data file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26

EAST Search History

S41	3	(xml sgml) and (validat$4 with (element$2 atrribute$2) with complian$4 with (type dtd))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26
S28	44	(decod$4 encod$4) with (document file data) with reproduc$4 with representation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26
S26	6	decod$4 with encod$4 with (document file data) with reproduc$4 with representation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26
L36	17	validat$4 same compliance same predetermined same (type dtd)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26
L35	44	(incorporat$4 attach$4) with valid$6 with (encod$4 compress$4) with (xml document sgml data file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26
L33	3	(xml sgml) and (validat$4 with (element$2 atrribute$2) with complian$4 with (type dtd))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26
L32	6	decod$4 with encod$4 with (document file data) with reproduc$4 with representation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:26
L31	0	text same validation same content same compliance same element same query same attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:25
L30	0	decod$4 same decompos$4 same extract$4 same element same attribute same text same value same structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:24
L29	3	encod$4 same (element and attribute) same extract$4 same register$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:23
L28	0	decod$4 same validat$4 same structure same encod$4 same ((definition near3 file) dtd) same error	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:15
L27	22	24 and (encod$4 same representation same structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:14

EAST Search History

L26	48	24 and (decod$4 same validation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 11:00
L25	0	24 and (encod$4 same element same attribute same (extract$4 remov$4) same register$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 10:57
L24	735	(encod$4 and decod$4 and validation and structure and (element attribute) and (extract$4 remov$4) and register$4 and value and text and element and attribute and query and representation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 10:56
		(encod$ and decod$4 and validation and structure and (element attribute) and (extract$4 remov$4) and register$4 and value and text and element and attribute and query and and representation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 10:55
		(encod$4 and decod$4 and validation and structure and (element attribute) and (extract$4 remov$4) and register$4 and value and text and element and attribute and query and and representation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 10:55
		(encod$ and decod$4 and validation and structure and (element attribute) and (extract$4 remov$4) and register$4 and value and text and element and attribute and query and and representation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 10:54
S1	342	encod$4 and decod$4 and valid$7 and (without near4 duplicat$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 10:52
S22	0	707/103.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:52
L6	1768	707/103,103R,103Y.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:52
L5	3217	715/513,516.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:52

EAST Search History

S24	2985	715/513,516.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:51
S21	6804	707/100-101.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:51
L4	7389	707/100-101.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:51
L3	554	2 and @ad<="20030331"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:49
L2	633	1 and satoru	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:49
L1	58870	fujita.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 08:43

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1	(encod$4 and decod$4 and ((data document) near3 structure$2) and valid$6 and partial and element and attribute$2 and (text content) and syntax and (id$2 identification) and child$4 and symbol).CLM.	US-PGPUB	OR	ON	2007/02/16 09:46
L8	3	((decod$4 encod$4) with (document file data) with reproduc$4 with representation).CLM.	US-PGPUB	OR	ON	2007/02/16 08:58
L9	12	(encod$4 and decod$4 and valid$7 and (element$2 and attribute$2)). CLM.	US-PGPUB	OR	ON	2007/02/16 09:21
L10	1	(decod$4 with encod$4 with (document file data) with reproduc$4 with representation).CLM.	US-PGPUB	OR	ON	2007/02/16 09:21
L11	7	((structure dtd) with without with (duplicat$4 repeat$4 repet$5) with (element attribute value)).CLM.	US-PGPUB	OR	ON	2007/02/16 09:23
L12	1	(validat$4 same compliance same predetermined same (structure)).CLM.	US-PGPUB	OR	ON	2007/02/16 09:24
L13	0	(validat$4 same compliant same predetermined same (type dtd)).CLM.	US-PGPUB	OR	ON	2007/02/16 09:24
L14	7	(validat$4 with predefined with (type dtd)).CLM.	US-PGPUB	OR	ON	2007/02/16 09:32
L15	203	(decod$4 with encod$4 with (document file data) with reproduc$4).CLM.	US-PGPUB	OR	ON	2007/02/16 09:32
L16	1	(encod$4 and decod$4 and ((data document) near3 structure$2) and valid$6 and partial and element and attribute$2 and (text content) and syntax).CLM.	US-PGPUB	OR	ON	2007/02/16 09:33
L17	1	(encod$4 and decod$4 and valid$7 and (without near4 duplicat$5) and ((encod$4 decod$4) with (file data document))).CLM.	US-PGPUB	OR	ON	2007/02/16 09:38
L18	0	((xml sgml) and (validat$4 with (element$2 atrribute$2) with complian$4 with (type dtd))).CLM.	US-PGPUB	OR	ON	2007/02/16 09:38
L19	1	((validat$4 with (element$2 atrribute$2) with complian$4 with (type dtd))).CLM.	US-PGPUB	OR	ON	2007/02/16 09:39
L20	1	(validat$4 same compliance same predetermined same (structure)).CLM.	US-PGPUB	OR	ON	2007/02/16 09:39

EAST Search History

L21	12	(encod$4 and decod$4 and valid$7 and (element$2 and attribute$2)). CLM.	US-PGPUB	OR	ON	2007/02/16 09:45
L22	2	((element same attribute same text same value same structure)).CLM.	US-PGPUB	OR	ON	2007/02/16 10:39
L23	4	(encod$4 and decod$4 and valid$6 and structure and (element attribute) and (extract$4 remov$4) and register$4).CLM.	US-PGPUB	OR	ON	2007/02/16 10:41